



T. 1 & 2, R. 1 W. 1st Mer.



T. 3, R. 1 W. 1st Mer.



North Boundary of Township 103 Range N. 1.
West of the Meridian.

East 1st Mile East from the Northwest corner

30.30 A Beech 26 inches dia. land 2nd rate

80.00 A post corner of Sec. 31 & 32 T. 4 & corner of Sec. 5 & 6
T. 3. Saw which an Ash 7 inches dia. bears N. 43° E. 45 1/2
lbs. & a Beech 14 inches dia. bears S. 8 E. 2 1/2 lbs.

The land & timber much like the preceding. It
rained so hard that, we could scarcely see 10 perches
which precluded my making any more observations,
besides, being very cold it was with much difficulty
that I could make. The line is well marked.

January 16th 1799.

2nd Mile East.

8.75 A small watercourse runs North.

21.06 A Beech 21 inches dia. on a high hill.

41.14 An Ash 27 inches dia. the land rich & timber

73.00 A Beech 9 inches dia.

80.00 A post corner of Sec. 32 & 33 T. 4 & Cor. of Sec. 4 & 5 T. 3.

Saw which an Ash 18 inches dia. bears S. 6 W. 1/2
lbs. & another Ash 14 inches dia. bears N. 37° 30' E.
46 1/2 lbs. This mile rich 2nd rate Land, much
timber, Spruce, Ash, Oak, Elm, Sugar tree, Beech
& Spice. Marked the trees by the plan.

3rd Mile East.

8.00 A Honey Locust 8 inches dia.

26.50 A creek 50 yds wide runs South, the bank on the West
side overflows 4 ch.

42.00 A stream 8 yds wide runs South.

48.00 Same stream runs N. W.

57.00 A Beech 18 inches dia. Open Beech timber

73.25 A Black Oak 26 inches dia. on south side of a hill
rich land open woods, much lying timber.

80.00 A post corner of Sec. 33 & 34 T. 4 & corner of Secs. 31 & 4

S. 3. R. 1. W.

S. 3. Show which a Elm Ash Birch, diat. bran N 28°
30' W 34 lbs. & a White Oak 30 inches, diat. bran S. 24° E 54
lbs. This mile generally 1st rate land, many broken &
abrupt precipices, abundance of sugar trees. Beech Oak
Elm Ash. Open timber land.

4th Mile East

- 20.75 A Dead Hick, examined but could taste no salt, open
Beech timber land.
- 43.35 A Sugar tree 9 inches, diat. open Beech timber, much of
it dead. land 2nd rate.
- 54.15 A creek 20 inches wide runs South (East branch of an old
creek).
- 80.00 Set a post corner of sec. 34 & 35. T. 14 & cor. of sec. 2 & 3
S. 3. from which a W. Oak 30 inches, diat. bran S.
49° W. 11 lbs. & a Poplar 30 inches, diat. bran N.
46° 41. lbs. This mile uniformly the same as the
preceding to the creek. From there to the Post. Land
level, rich & beautiful, open woods. Timber Ash Oak
Poplar Beech. Sugar trees, Elm &c. Marked the
trees by the plan.

5th Mile East,

- 33.78 A White Oak 26 inches, diat.
- 60.29 A Gum 20 inches, diat. The land level crossed into
large Oak Ash Poplar. Sugar tree &c.
- 69.02 A Hickory 3 inches, diat, the land level orich with fine
timber. Oak. Elm. Sugar tree &c.
- 80.00 A Post cor. to Sec. 35 & 36. from which a Box Elder
10 inches, diat. bran S. 36° 30' W. 13 lbs. & a Hackberry
8 inches, diat. bran N 20° 45' E. 30 lbs. This mile 1st
rate land, remarkably level covered with excellent,
large timber Oak. Ash. Elm. Hickory, Sugar trees, Gum
&c. no underbrush, some few Pines.

6th Mile East.

14.16 Bank of the Ohio. Found a post. from which a Sycamore 7 inches, dia. bears S 49° W 33 lbs. & an Elm 10 inches, dia. bears N 24° W 31 lbs. Marked the trees by the plan. This fraction 1st hab. land of a superior quality, but it sometimes overflows.

~~South~~ South 1st Boundary of Township N. 3. Range N. 1. West of the Meridian.

East 1st Mile East from the Southwest corner

24.75 A stream 25 ft wide runs North (but little water).

28.66 A Birch 14 inches, dia. on West side of a hill

50.88 A White Oak 30 inches, dia. The land rich & fine timber

62.18 A Blue Ash 11 inches, dia. The land rich with abundance of Ash, Sugar tree & Birch. covered with Spice wood.

80.00 A Post cor. to Sec. 5 & 6 T. V. & cor. of Sec. 31 & 32 T. 3. from which a Sugar tree 22 inches, dia. bears N 19° W 23 lbs. & a Blue Ash 15 inches, dia. bears S 78° E 22 lbs. This mile rich & fertile. Timber Ash Oak Elm, Beech & Sugar tree.

East 2nd Mile East.

10.00 A Creek runs North, but little water.

41.73 A stream runs N. 45° W. little water.

44.50 A. Blue Ash 8 inches, dia. April 25th 1799.

59.94 A. Yellow Locust 15 inches, dia. on a rich ridge

80.00 A. Post cor. of Sec. 4 & 5 T. V. & cor. of Sec. 32 & 33 T. 3. from which a Sugar tree 12 inches, dia. bears S 61° E 62 lbs. & another Sugar tree 10 inches, dia. bears N 28° 15' E 19 lbs. This mile 1st hab. land, and continuation of ridges & gutters. Timber Oak Ash Sugar Elm Beech & very Brushy. Marked the trees by the plan

East 3rd Mile East.

59.53 A. Sugar tree 14 inches, dia. on the East side of a hill.

S³. R. 1. W.

80.00 A Post cor. of Sec. 3 & 4. T. 2. S. Cor. of Sec. 33 & 34. T. 3. S. from which a Sugar 7 inches, dia^t. bears S 18 E 27 lbs & a White Oak 24 inches, dia^t. bears N 50 W 19 lbs. This mile 1st rate land, fit for the cultivation of small grain. Hemp. Tobacco &c. all ridges & deep gutters.

East

4th Mile East.

20.60 A stream 18 lbs wide runs North
 33.06 A Spruce 11 inches, dia^t. on North side of a hill
 61.16 A Hickory 15 inches, dia^t. on a rich ridge covered with Spice wood & Pines
 80.00 A Post cor. to Sec. 34 & 35. T. 3. S. Cor. of Sec. 2 & 3. T. 2. S. From which a Sugar tree 11 inches, dia^t. bears S 34° 30' W 25 lbs & another Sugar tree 9 inches, dia^t. bears N 31. W. 4 lbs. This mile 1st rate land. Timber Ash, Oak Elm Beech Sugar tree & exceedingly covered with Spice. Pines &c. ridges & gutters. Marked the trees by the plan.

East

5th Mile East.

25.11 A Blue Ash 5 inches, dia^t. N of a rich ridge
 52.00 A Beech 31 inches, dia^t. on N. side of a steep hill
 80.00 A Post in east bank of a small run, cor. of Sec. 35 & 36. T. 3. S. & cor. of Sec. 1 & 2 Range 1. From which a White 10 inches, dia^t. bears S. 7 lbs & a Buckeye 8 inches, dia^t. bears N 30 E 32 lbs. This mile 1st rate land all ridges, much dead timber & very great quantity of Spice wood.

East

6th Mile East.

28.45 A Buckeye 16 inches, dia^t. on East side of a hill
 30.37 A Water course 60 lbs wide runs S. 15 E. little water
 49.58 A Hickory 8 inches, dia^t. in the line, on South side of a hill
 75.00 A large Lick 25 lbs South of the line, no discernable
 80.00 A Post, cor. of T. 1 & 2 R. 1. E. & cor. T. 2 & 3. Range 1 W.

Camp 2

of the Meridian. Show which a Beech 12 inches
dia't brans S. 22 1/2° E 29 lks & another Beech 15
inches dia't brans N 10 1/2° W 9 lks. This mile 1st
rate land, very large ridges with Oak, Oak,
Sugar, two Beech & Hickory. Underbrush
Spice etc. Marked the trees by the plan.

East Boundary of Township N. 3. Range 7th 1.
West of the Meridian.

- North 1st Mile North from the Southeast corner
- 19.55 A Stream 15 Merids. runs S. 15 E. & an appearance
of good building stone, little water
- 31.00 A large Lick, no salt discoverable to the taste
lies East 100 lks.
- 43.03 A Hickory, 18 inches, dia't on the South side &
near the top of a Ridge.
- 73.50 Here the stream comes from the west, has
meandered up & near the line since mentioned.
- 80.00 A Post cor. of Sec. 30 & 31. T. 1. R. 1. E. & cor. of
Sec. 25 & 36. T. 3. Range 1 West of the Meridian.
Show which a Beech 18 inches, dia't brans
N 4 1/2° E 17 lks. & another Beech 11 inches, dia't
brans N 81 W 23 lks. This mile 2nd rate land, an
continuation of ridges & gutters, much Beech
timber & underbrush.

North

2nd Mile North,

- 24.00 A Beech 10 inches, dia't on South side of large
ridge.
- 27.77 A Sugar tree (on top of same hill) 30 inches, dia't
- 51.63 A Post on the Bank of the Ohio River, from
which an Elm 30 inches, dia't brans S. 51.30° E 27 lks
& a Gum 10 inches, dia't brans S. 44° 30' W 40 lks
distant. This fine rich land, exceedingly broken
timber Oak, Oak, Sugar, Beech & much underbrush
generally Spice. Marked the trees by the plan. Apr 27.
1799.

T. B. R. 1. M.

West Boundary of Township N^o 3. Range N^o 1.

West of the Meridian.

- South 1st Mile South from the Northwest corner
 25.76 A Hickory 18 inches, dia. much Spice & Briars
 46.75 A White Oak 10 inches, dia. ridges & much underbrush
 Spice wood & Briars.
 80.00 A Post corner of sec: 6 & 7. T. B. R. 1. from which
 a Sugar tree 12 inches, dia. bears N 27° W 1/2 m. & a
 Elm 10 inches, dia. bears S. 21. E 27 lks. This mile
 1/2 mile land, very hilly, timber Oak Hickory
 Sugar tree &c. underbrush Spice Briars &c.

South 2nd Mile South.

- 21.30 A White Oak 10 inches, dia. The land & timber
 same as in the preceding.
 44.00 A Creek 100 lks wide, runs East. clear rapid.
 Water sufficient for undershot mill.
 53.90 A Walnut 10 inches, dia.
 80.00 A Cypress 2 inches, dia. cor. of Sec: 7 & 8. From
 which a Sugar tree 12 inches, dia. bears N 30 E. 8 lks.
 & another Sugar tree 12 inches, dia. bears S. 47° W 42 lks.
 This mile 1/2 mile land, remarkably hilly
 timber Oak Ash Elm Sugar tree Hickory &c.
 Underbrush Spice wood & abundance of Briars.
 Marked the trees agreeably to the plan.

South 3rd Mile South

- 18.35 An Oak 20 inches, dia.
 49.23 An Oak 12 inches, dia. The land as the preceding mile.
 78.65 A Hickory 18 inches, dia.
 80.00 A Post cor. of Sec: 18 & 19. From which a Sugar tree
 10 inches, dia. bears N 10 E. 15 lks. & another Sugar tree
 6 inches, dia. bears N 71. 50° W 10 lks. This mile like
 the preceding, soil timber & underbrush.

South 4th Mile South

28.11. A Hickory 30 inches, dia. on a ridge

58.70 An Ash 30 inches, dia. on a rich ridge, large scattered timber

80.00 A Post corner of Secs. 19. & 30. T. 3. From which a Beech 28 inches, dia. bears N 50° E 34 Ms. & an Elm 10 inches, dia. bears S. 38° W. 22 Ms. This mile 1st rate all ridges & deep gutters. Timber Oak. Sugar tree Hickory, Elm Beech &c much Spruce & Fir. Marked equally to the plan.

South 5th Mile South

20.70 A White Oak 8 inches, dia.

42.50 A Small stream runs East.

57.04 A White Oak 9 inches, dia. on top of a hill

80.00 A Post Corner of Secs. 30 & 31 from which a Sugar tree 18 inches, dia. bears N 74° E 60 Ms. & an Elm 4 inches, dia. bears N 89° W 9 Ms. This mile 2nd rate lands, ridges & gutters, small timber, & exceedingly lumpy.

South 6th Mile South

0.05 Grants Creek 50 ft wide, runs East, rapid water a large steep hill on South side

29.53 A. White Oak 20 inches, dia. land 3rd rate, small scrubby timber from the creek.

67.93 A Hickory 12 inches, dia. on S.W. side of a steep hill.

69.56 A small creek, fine clear water, rapid, above & below the line, runs S. 85° E.

80.00 A Post cor. of T. 2 & 3. R. 1. from which a Sugar tree 7 inches, dia. bears N 75° 30' E. 16 Ms. & an Elm 10 inches, dia. bears N 67° 30' W. 21 1/2 Ms. This post on the North side of a large hill. This mile 3rd rate land, ridges & gutters, good timber, Oak generally, some Ash, Sugar tree Hickory &c, little underbrush. Marked to.

S. B. R. & W.

North Between Secs. 34 & 35.

24.72 A Sugar tree 8 inches dia.

67.39 An Ash 24 inches dia.

80.00 A Post corner of Secs. 27, 34 & 35, from which a Sugar tree 8 inches dia. bears S. 63 1/2° W 23 lbs. & another Sugar tree, same dia. bears S. 80.6° W 21 lbs. This mile 1st rate land. Prodigious hills, & gutters. Timber Ash Oak Elm &c. Spice wood in abundance.

North Between Secs. 26 & 27.

1.50 A Stream 15 lbs wide, runs west (little water)

44.22 A Birch 11 inches in dia.

50.17 A Post on the Bank of the Ohio, between Sec 26 & 27 from which a forked Elm 20 inches dia bears S. 73° W 29 lbs. & a Box Elm 24 inches dia. bears S. 67° E 55 1/2 lbs. From the last post to the river are uniform continuations of ridges & gutters, 1st rate Land. Timber Ash Oak Elm Sugar. Lynn &c, marked the trees by the plan. May 15th 1799.

North Between Secs. 30 & 33.

25.77 A. Lynn 15 inches dia.

60.00 A. Sugar tree 9 inches dia.

80.00 A. Post cor. of Secs. 28, 29, 30 & 33, from which a Box Ash 18 inches dia. bears S. 63° E 29 lbs. & a Hickory 10 inches dia. bears N. 69° W 2 1/2 lbs. This mile 1st rate land, timber? as the preceding exceedingly covered with spice wood. Briars &c. The land too rough & broken for cultivation.

North Between Secs. 18 & 29.

17.31 A Buckeye 10 inches dia.

40.17 A Black Walnut 14 inches dia.

53.60 Gravel creek 17 1/2 lbs wide runs S. 50° E, very high the current gentle May 16th 1799.

62.80 An Ash 13 inches dia.

72.90 A Rapid Stream 40 lbs wide, runs S. 30° E.

80.00 A Post. This mile 1st rate land, large moderate swelling ridges: Timber Ash Oak Elm Sugar Walnut &c. much Spice & Briars. May 17. 1799.

East Return Sec. 19. & 20.

21.35 A Buck 15 inches, dia.

27.95 A stream 5 lks wide, runs S. 30 E. appears to be perennial.

36.62 A stream 30 lks wide, runs South, rapid water

80.00 A Post cor. of Sec. 19. 20. 29 & 30, from which a Walnut, Birch, dia. 10 in. S. 60 W. 21. lks. & a Elm Oak 8 inches, dia. 10 in. S. 90 E. 10 lks. This mile 1st rate land large ridges, Timber Oak Oak Elm Sugar Ash Buck &c. covered with Briars prickly ash for the first 40 chs. then more open.

East Return Sec. 20 & 29.

8.74 A stream 3 lks wide, runs South.

30.18 A Elm Oak 4 inches, dia.

38.18 A Black Walnut 11 inches, dia.

67.75 A stream joined by another about 60 lks S. of line

79.40 Intersected the line run North from cor. of Sec. 32. & 33. 81 lks N. of the measure. Then fixed a post cor. of Sec. 20. 21. 28 & 29. from which an Elm 12 inches, dia. 10 in. S. 77 E. 23 lks. & a Buck eye 10 inches, dia. 10 in. S. 83 W. 35 lks. This mile 1st rate land, timbered on the preceding, much Spice Wood & Briars, the land this mile fit for the cultivation of small grain. Hemp. May 18. Marked the line by the plan.

East Return Sec. 21. & 28

40.75 A Sugar tree 9 inches, dia.

50.10 A stream 5 lks wide, runs South in a low narrow reflected bottom

66.84 An Elm 26 inches, dia. on west side of Grants creek 494

S. B. R. I. W.

Run across the end of a Bend, in the creek, from
thence runs South, swelled by the Ohio.

80.00 A Post cor. of Secs. 26, 27, 28 from which an Oak
24 inches in dia. bears S. 31. W. 17 lbs. & a Hickory 8 inches
dia. bears N. 40 E. 12 lbs. This mile 1st rate land, fit
for the cultivation of all kinds of grain. Hemp &c.
a small bottom in the creek overflows.

East Between Secs. 26 & 27.

21.88 A Post on the Bank of the Ohio, at the upper side
& at the mouth of Grants Creek between Secs. 26 & 27.
from which an Elm 24 inches dia. bears S. 32 W. 129
lbs & a Sycamore 24 inches dia. bears S. 72 W. 103 lbs.
The land from the last post to the river, exceedingly
rich, & improved wth good cabins. Marked the
line by the plan. May 16th 1799.

North Between Secs. 20 & 21.

11.54 A Hickory 9 inches dia.

38.31 A Buckeye 24 inches dia.

80.00 A Post cor. of Secs. 16, 17, 20 & 21. from which a
Buckeye 10 inches dia. bears S. 70 W. 13 lbs. and
another Buckeye 16 inches dia. bears N. 81. E. 31 lbs.
This mile 1st rate land & tolerably level, with fine
timber Oak, Oak, Elm, Sugar tree, Peach, Walnut,
&c. much spice.

North Between Secs. 16 & 17.

20.15 A Sugar tree, 6 inches dia.

31.50 A Buckeye 12 inches dia.

55.42 A Sugar tree, 6 inches dia.

80.00 A Post. this mile 1st rate land, on uniform
continuation of large ridges & gutters, timber and
underbrush as in the preceding miles

East Between Secs. 7. & 18.

- 6.00 A small stream 500 yds wide, runs North
 23.27 A Black Walnut 14 inches dia.
 56.92 A stream sufficient for a Grind Mill, rapid current
 & stony channel, runs North.
 80.00 A Post cor. of Secs. 7. 8. 17. & 18, from which a
 White Oak 40 inches, dia. bears S. 100 E. 100 yds. & a
 Beech 18 inches dia. bears N 74 W. 29 yds. This
 mile 1st rate land, large ridges & deep gutters with
 abundance of fine timber. Oak, Oak, Sugar
 Elm & Beech, Elm Walnut, Spice & Prun.

East Between Secs. 8 & 17.

- 14.30 A Hackberry 17 inches dia.
 49.10 An Elm 14 inches, dia.
 79.23 Intersected the line, run North from the cor.
 of Secs. 20. 21. 28 & 29. 130 yds North of the measure.
 Then established a Post cor. of Secs. 8. 9. 16. 8. 17.
 From which an Oak 36 inches dia. bears N 79 W
 110 yds & a Hickory 12 inches dia. bears S. 89 E
 130 yds. This mile 1st rate land, ridges & deep
 gutters, timbered Oak the preceding, much Spice
 & other Brush. Marked the trees by this plan.
 May 20th 1799.

East Between Secs. 9 & 16.

- 25.30 A Blue Oak 10 inches dia.
 40.14 A Buckeye 15 inches dia. on East side of hill
 55.50 West Bank of Arnolds Creek, crossed by the
 Ohio, 250 yds wide, runs South.
 80.00 A Post cor. of Secs. 9. 10. 15 & 16. From which a
 Beech 14 inches dia. bears S. 76 W 20 yds & an Elm
 15 inches dia. bears N 74 E 49 yds. This mile
 1st rate land (from the post to the creek, all
 ridges, very large) from thence to this cor. well treed,
 a small bottom on the creek overflow, the timber from
 thence generally Beech.

T. 3. R. 1. W.

East Between Secs. 10 & 15.

- 3.00 A swamp 100 yds wide, covered with few grass
thence through open Beech timber.
- 7.00 A Swamp 60 yds wide.
- 18.86 A Sycamore on the Bank of the Ohio, 15 inches
diam. marked 2 notches on West side, from which
a Maple 24 inches diam. bears S. 32° W. 41 yds
A Sycamore 15 inches diam. bears N. 14° W 49 yds.
From the last post to the river the land rich
level, generally Beech timber little mud or brush.
Marked numbers the trees by the plan.

North Between Secs. 8 & 9.

- 27.37 A Buckeye 18 inches diam.
- 50.65 A Sugar tree 8 inches diam.
- 80.00 A Post cor of Secs. 4, 5, 8 & 9. from which an Oak
26 inches diam. bears S. 71° W. 13 yds & an Elm 24 inches
diam. bears N. 78° E. 33 yds. This mile 1st rate land
large ridges & deep gutters. Timber, Oak, Elm,
Sugar tree Walnut Buck etc. Exceedingly covered
with grass & grain etc

North Between Secs. 4 & 5

- 27.50 A Large lick 400 yds East of the line, no salt
discoverable to the taste
- 30.23 Arnolds creek, 225 yds wide, runs N. 40° E.
gentle current
- 53.67 A Blue Oak 13 inches diam.
- 85.57 Intersected the line, run East, from the cor. of Towns
3 & 4. Folks nest of the Post between 32 & 33. T. 4
This error must have have been made on the
West Boundary of this town. In I am persuaded
that it was not made, now. Here fixed a
Post cor. of Secs. 4 & 5 T. 3. From which a Sugar
tree 16 inches diam. bears N. 26° E 3 yds, & an Oak
16 inches diam. bears S. 8° W. 45 1/2 yds. This mile

1st rate land. large ridges & deep gutters. Timbers
as the preceding. Marked & numbered the trees
by the plan. May 21. 1799.

South Between Sec^s 2 & 3.

54.24 A Poplar 30 inches dia. Land level & exceedingly
covered with large timber, Ash Oak, Elm, Gum &c
118.00 A Poplar 26 inches dia. The land rich & level
timbered as before described.

80.00 A Post cor. of Sec^s 2, 3, 10, & 11. From which a Poplar
30 inches dia. & a Beech 18 inches
dia. & a Gum 10 inches. This mile 1st rate land
Generally level & covered with the greatest
quantity of 1st rate timber I have ever seen in
the same distance. Ash Oak Elm Sugar trees &
Exceedingly large poplars.

South Between Sec^s 10 & 11. T. J.

118.53 A Post on the Banks of the Ohio between Sec^s
10 & 11. T. J. R. 1. W. From which a Beech 24 inches
dia. & a Gum 10 inches & a Hickory 18 inches
dia. & a Gum 10 inches. This fraction prime
land. has an amazing quantity of timber, the
same as before enumerated. Marked &
numbered the trees by the plan. Jan 7th 1799.

North Random Line north between Sec. 7 & 8 T. J. R. 1. W.

32.92 A Water course 20 ft wide course N.E.

34.55 Another creek 100 ft wide course N.E.

40.00 Set temporary 1/4 Sec. post.

73.00 A Brook. 8 ft wide course S.E.

80.00 Set temporary corner Post. This mile 1st rate
land, large hills & a good many stones. Timber
Ash Locust. Beech Walnut. Elm Sugar Spruce, poplar

S. 3. R. 1. W.

Nash Continued North between Secs 5 & 6. S. 3. R. 1. W.
 25.00 At Brook 5 1/2 m. wide, corner S. E.
 40.00 Set 1/4 Sec. post.
 69.30 At Brook 15 m. wide corner N. E.
 84.72 Hit the post. This mile the land timber same

South Corrected the line South, & Set 1/4 sec post at
 the average distance on true line. also Corrected
 the line between Secs 7 & 8. & set 1/4 sec post on
 true line at average distance.

West. Standard Line between Secs 5 & 8. S. 3. R. 1. W.
 11.15 Cross Arnolds creek. 100 m. wide corner N. E.
 40.00 Set temporary 1/4 Sec. post,
 18.04 At Brook 7 1/2 m. wide corner S.
 79.02 Cross the Nash's South Line. This mile 1 1/2 m. to
 land hilly. Timber Ash Oak Walnut, Beech
 Sugar. Spice & Pawpaw.

West Continued between Secs 6 & 7. S. 3. R. 1. W.
 6.30. At Brook 10 m. wide corner S. E.
 11.55 At Brook 8 m. wide corner S. E.
 40.00 Set temporary 1/4 sec post
 44.00 At Brook 6 m. wide corner S. E.
 79.94 Fell 46 m. south of the Post, cor. to Secs 5 & 6.
 7 & 8. This mile large hills very stony &c
 Timber Ash Oak Elm Beech Sugar Spice-
 wood &c.

East, Corrected the line East between Secs 6 & 7.
 Set 1/4 Sec. post on true line at average distance
 where a Sugar 4 inches dia. brass. N 20 1/2 E. 7 m.
 & a P. Locust 16 inches dia. from S. 11 1/2 W. ... m.
 Continued East. to the post & moved it to the
 sub. cor. of Secs 5, 6, 7 & 8, where an Oak 20 inches
 from S 33 W 26 m. & a Buckeye 18 inches, from N.

526 33 lbs.

North Thence North between Sec.^s 5 & 6. & more the $\frac{1}{4}$ sec post. to the average distance, when an Oak 11 inches, diam. 9.66 W 27 lbs. & an Oak 14 inches, diam 9.81 E 30 lbs.

South Thence South between Sec. 7 & 8 & more the $\frac{1}{4}$ sec post to the average distance when a W. Oak 6 inches, diam. 9.73 E 7 lbs. & a Sugar Oak 11 inches, diam. 11.49 W 27 lbs.

East, Continued East from Center post, between Sec.^s 5 & 8. & set $\frac{1}{4}$ sec post at the average distance when an Oak 3 1/2 inches, diam. 5 lbs. & a Sugar 11 inches, diam 12 W 41 lbs. Continued East to corner of sec.^s 4, 5, 8, & 9.

South Random Line South between Sec 3 & 4. S. B. R. 1. W.

7.12 At Hook 12 lbs mid Course S. W.

24.95 Arnolds Creek 120 lbs mid Course S. E.

40.00 Set temporary $\frac{1}{4}$ sec Post.

71.47 Arnolds creek 120 lbs mid course S. W.

80.00 Set temporary Center post. This mile 2nd rate land. Timber Oak. Oak. Beech Walnut Buckeye & Spruce.

South Continued South between Sec.^s 9 & 10. S. B. R. 1. W.

17.06 Arnolds creek 80 lbs mid Course S. E.

27.00 Same Creek 100 lbs. mid Course S. W.

31.40 Set temporary $\frac{1}{4}$ sec post.

60.19 Arnolds. creek 100 lbs mid Course S. W.

84.44 Set 85 lbs East of the post cor. to sec.^s 9, 10, 15 & 16. This mile 1st rate land with Oak & Beech and Sugar. Walnut & Buckeye &c. Spruce &c.

S. 3. R. 1. W.

North. Corrected the line North between Sec. 9 & 10.
 Set temporary $\frac{1}{4}$ sec. post. on true line at
 average distance. I Corrected the line between
 Sec. 3 & 4. S. 3. R. 1. W. & set $\frac{1}{4}$ sec. post at
 average distance on true line.

West. Random line West between Sec. 3 & 10. S. 3. R. 1. W.
 40.00 Set temporary $\frac{1}{4}$ sec. post.
 80.37 Crope North & South Line. $\frac{3}{4}$ of this mile 2 Oaks
 land the last $\frac{1}{4}$ 1st rate. Land cool &c. Timber
 Ash Oak Beech Sugar. Walnut. Buckeye
 Spice Grapewine &c.

West Between Sec. 4 & 9.
 3.90 Arnold, creek 120 ft wide course S. 20 W.
 9.00 A note course 9th mile bran S. E. 70 water
 40.00 Set temporary $\frac{1}{4}$ sec. post
 70.14 A note course 6th mile bran N. no water
 80.74 Fell 529 lbs North of the post, cor. to Sec. 4. 5. 8 & 9
 This mile 1st rate land. much broken
 Timber Ash Oak. Beech &c. Spice & grape wine
 abundance.

East Corrected the line East between Sec. 4 & 9.
 Set $\frac{1}{4}$ sec post on true line at average distance
 when a Sugar 14 inches, dia bran S. 17. W 56 lbs & a
 Buckeye 12 inches, dia bran N. 35 W 37 lbs. Continued
 East & fell 296 lbs South of temporary post. moved
 it to the center of Sec. 3. 4. 9. & 10. when a Hickory
 8 inches, bran. N 54 W 6 lbs & a Hackberry 16 inches,
 dia. bran S 36 E 73 lbs.

North. Thence North between Sec 3 & 4. & set a $\frac{1}{4}$ sec post
 at average distance when a Elm ash 12 inches,
 dia. bran. S. 66 W 23 lbs. & a Buckeye 8 inches,
 dia. bran S. 51 E 44 lbs.

T. 3. R. 1. W.

61

South Then south between Sec. 9 & 10. & set a $\frac{1}{4}$ sec. post at average distance when a Hickory 15 inches dia. trans. S. 61. E. 31 lbs. & a Buckeye 4 inches dia. trans. S. 66. W. 13 lbs.

East Continued East from Center post on line. & set $\frac{1}{4}$ sec. Post. at average distance when a Buckeye 20 inches dia. trans. S. 6 W. 71 lbs & a Beech 8 in. trans. N 15 E 6 $\frac{1}{2}$ lbs. Thence East to cor. of sec. 2. 3. 10. 11. Marked &c.

East. Proceeded East from the above cor. between Sec. 10 & 11 T. 3. R. 1. W.

17.84 To a Sycamore on the Bank of the Ohio. forked at the ground. This mile level 2^d rate land. Timbered with Poplar Oak Beech &c. Marked the line by the place &c.

South. Run a line South between Sec. 10 & 11 T. 3. R. 1. W.

16.00 A post on the Bank of the Ohio. from which a Sycamore 24 inches trans. West 73 lbs. & a Sycamore 14 inches trans. N 11 E 7 $\frac{1}{2}$ lbs. First rate land, very level &c. Locust. Walnut &c.

South Thence to cor. of sec. 15 & 16 from South.

28.91 Ohio River. here fixed a post from which a Sycamore 12 inches dia. trans. S. 77 E 3 lbs & a Sycamore 12 inches trans. S. 77 W 6 lbs. This line flat wet buck land.

East. Then Proceeded to cor. of sec. 16 & 21. & run a line East between sec. 16 & 21.

43.52 To the Bank of the Ohio then set a post from which a Sycamore 18 inches dia. trans. S. 12 W. 50 lbs & a Sycamore 16 inches dia. trans. N 32 W 22 lbs. This mile is a high ridge, to the river hill good 2^d rate

S. 3. R. 1. W.

land, Timber ash Oak Elm Sugar Walnut, &c
Puckeye Spice pawpaw. cane &c

South Random Line South between Sec. 17 & 18 S. 3. R. 1.

- 8.85 A Brook 8 lks mid course West.
30.08 A Brook 5 lks mid course West.
40.00 Set temporary $\frac{1}{4}$ sec. post.
43.20 A Brook 10 lks mid course S. W.
46.10 A Brook 16 lks mid course S. W.
80.00 Set temporary center post. Moderate off back
with Sugar tree. Prats land, Spice & pawpaw

South Continued South between Sec. 19 & 20.

- 4.04 A Brook 6 lks mid course N. E.
40.00 Set temporary $\frac{1}{4}$ sec. post.
80.48 Fell 23 lks East of the post cor. of Sec. 19. 20. 29. 30
This mile land & timber same.

North Corrected the line North between Sec. 19 & 20.

S. 3. R. 1. W. Set temporary $\frac{1}{4}$ sec. post on true
line at average distance. Corrected the line
North between Sec. 17 & 18. Set a temporary $\frac{1}{4}$
sec. post at average distance on true line

East. Random Line East between Sec. 18 & 19. S. 3. R. 1.

- 33.92 A Brook 8 lks mid course N. E.
40.00 Set temporary $\frac{1}{4}$ sec. Post.
79.93 Cross North & South line. This mile good 2 Prats
land. Moderate ridges. Timber ash Elm Buck
Sugar Spice & pawpaw.

East. Continued East between Sec. 17 & 20.

- 6.00 A Brook 7 lks mid course N. E.
38.00 A Brook 7 lks mid course East
40.00 Set temporary $\frac{1}{4}$ sec. post.
53.35 A Brook 10 lks mid course East

66.10 A Brook 10 lbs wide course South
79.54 Fell 66 lbs North of the port. This mile good 2nd rate
land. Timber, Oak, Walnut, Sugar.

West Continued the line West between Sec. 17 & 20, T. 3 R. 1.
set $\frac{1}{4}$ sec. port on true line, at the average distance
where Beech 5 inches, dia^t brass N 44 W 8 lbs & a
Blue ash 22 inches, brass S 37 $\frac{1}{2}$ E 25 lbs. Continued
on true line to the center corner. Fell 30 lbs North
of temporary port, moved it to the center corner
of sec. 17, 18, 19, & 20 where a Buck 14 inches, brass
N 27 W 11 lbs. & a Buck 7 inches, brass S 55 E 15 lbs.

North Thence North between Sec. 17 & 18 & set $\frac{1}{4}$ sec
port to the average distance on true line where
a Walnut 12 inches dia^t brass. N 68 E 27 lbs & a
W Oak 9 inches, brass S 55 W 14 lbs. Thence between
Sec. 19 & 20 & moved the $\frac{1}{4}$ sec port to the average
measure where a W. Oak 42 inches dia^t. at the cor.

West Continued West on true line between Sec. 18
& 19, & set $\frac{1}{4}$ sec port at average distance on true
line, where a Elm 4 inches, dia^t brass S 64
E 11 lbs. & a Sugar 4 inches, brass N 8 W 11 lbs.
Continued West to the cor of Sec. 18 & 19.

East. Random line East between Sec. 30 & 31, T. 3, R. 1. W.
79.47 A Brook 20 lbs wide course S. E.
40.00 Set temporary port
79.50 A Brook 8 lbs wide course S. E.
80.00 Set temporary center port. This mile Hilly & Heavy
2nd rate land Timber Walnut Oak Sugar Spruce &c.

East Continued East between Sec. 29 & 32
15.00 A Brook 8 lbs wide course S. E.
11.35 Grant, Creek, 100 lbs, wide course N 80 E.

T. 3. R. 1. W.

- 15.50 Grants Creek, 100 lks wide Course S. 80 W.
 40.00 Set temporary post.
 65.50 Grants Creek, 100 lks wide Course N 70 E.
 79.34 Fell 4 lks south of the post cor. to Sec 28. 29. 32. 33
 marked the line by the plan.

West. Corrected the line West between Sec. 29. + 30. T. 3. R. 1.
 Set temporary 1/4 sec post, on true line at average
 distance, Continued West on true line, between
 Sec. 30. + 31. Set 1/4 sec. post at average distance
 Continued to corner of Sec. 30. + 31.

North Standem Line North between Sec. 31. 32. T. 3. R. 1.
 9.50 A Brook 8 lks wide, Course N.E.
 40.00 Set temporary 1/4 sec. post.
 52.00 A Brook 8 lks wide, Course N. W.
 73.25 Grants Creek, 100 lks wide course N.E.
 80.71 Cross the East & west line, this mile, large hills
 & flat land. Large blue Ash, Walnut, Sugar tree
 Spruce & pawpaw.

North Continued North Between Sec. 29. + 30 T. 3. R. 1. W
 30.00 A Brook 8 lks wide, Course N.E.
 40.00 Set temporary 1/4 sec. post.
 60.40 A Brook 14 lks wide, Course S.E.
 80.50 Fell 8 lks West of the post cor. to Sec. 29. 30. 29. + 30
 this mile the land & timber same.

South. Corrected the line South between Sec. 29. + 30
 Set 1/4 sec post at average distance on true line
 where a sugar 13 inches, bass 1.63 W 41 lks. & a
 Poplar 11 inches, bass 1.63. E 32 lks. Continued
 on true line & fell 9 lks East of temporary post &
 moved it to the center cor. of Sec. 29. 30. 31. + 32. where
 an Elm 12 inches, bass N 43 W 20 lks. & an Elm 6 inches
 bass S 30 E 23 lks. Marked re

West Thence West between Secs. 30 & 31. S. 3. R. 1. W.
 moved it to the average distance, where a Blue
 Ash 4 inches diam. S. 56. E. 19 lbs. & a Sugar tree 12 inches
 diam. diam. S. 59. W. 8 lbs.

East. Thence East between Secs. 29 & 30. moved the $\frac{1}{4}$ Sec.
 post to the average distance, where a Sugar 8 inches
 diam. diam. S. 34. E. 19 lbs. & 2 Sugar 6 inches diam. diam.
 N. 13. W. 25 lbs.

South Thence South on true line from center post
 between Secs. 31 & 32. Set a $\frac{1}{4}$ Sec. post at
 average distance on true line where a Hickory
 9 inches diam. diam. S. 84. W. 16 lbs. & a Hackberry
 3 inches diam. diam. N. 62. E. 25 lbs. Continued to the post
 cor. of Secs. 31 & 32. Marked the trees by the plan

East. Random Line East, between Secs. 28 & 33. S. 3. R. 1. W.
 27.20 A Brooke 30 lbs. wide course North
 40.00 Set temporary $\frac{1}{4}$ sec. post
 80.00 Set temporary center post. This mile very large
 hills, 2nd rate land. Timber, ash. Oak. Walnut.
 Sugar &c. Spice &c.

East. Continued East, between Secs. 29 & 34. S. 3. R. 1. W.
 40.00 Set temporary $\frac{1}{4}$ Sec. post
 61.90 A Brooke 10 lbs. wide course N. E.
 81.46 Fell 28 lbs. North of the post cor. to Secs. 29, 34 & 35
 This mile the land & timber the same.

West. Corrected the line west between Secs. 29 & 34. S. 3. R. 1.
 Set temporary $\frac{1}{4}$ sec. post. at average, measured on
 true line.
 Corrected the line between Secs. 28 & 33. & set temp $\frac{1}{4}$
 $\frac{1}{4}$ sec post on true line at average distance

S. 3. R. 1. W.

South Random Line South between Sec^s 27 & 28. S. 3. R. 1. W.

2.85 Grants Creek 100 lks. course S.E.
 16.92 Same. ——— Course S.W.
 24.90 Same. ——— Course East
 30.12 At Brook 8 lks. mid. course N.W.
 40.00 Set temporary $\frac{1}{4}$ sec. post.
 81.78 Cross the East west line. This mile very hilly.
 Timber Buck. Oak. Buckeye &c. Spice & prairie

South Continue South between Sec^s 33 & 34 S. 3. R. 1. W.

28.40 At Brook 7 lks. mid. course N.W.
 29.45 At Brook 15 lks. mid. course N.W.
 40.00 Set temporary $\frac{1}{4}$ sec. post.
 79.83 Fell 19 lks East of the post. cor. to sec. 33 & 34
 This mile the land & timber same.

East Random Line East between Sec^s 30 & 35.

4.00 At Brook 20 lks. mid. course N.W.
 19.40 At Brook 12 lks. mid. course S.W.
 37.25 At Brook 10 lks. mid. course N.W.
 40.00 Set temporary $\frac{1}{4}$ sec. post.
 80.00 Set temporary center post. Oak lks. hilly &c.
 Timber Oak Oak Beech. Hickory Sugar &c. Spice &c

East Continue East between Sec^s 25 & 30. S. 3. R. 1.

18.77 At Brook 6 lks. mid. course North
 40.00 Set temporary $\frac{1}{4}$ sec. post
 50.55 At Brook 8 lks. mid. course South
 74.60 At Brook 10 lks. mid. course S.E.
 81.72 Fell 200 lks south of the post. cor. to sec 25 & 30.
 This mile the land & timber same.

West Corrected the line West between Sec^s 25 & 30
 Set a $\frac{1}{4}$ sec. post at average distance on true line
 Corrected the line west between Sec^s 16 & 35 S. 3. R. 1. & set
 temp $\frac{1}{4}$ sec post at average distance on true line.

Moved to the cor. of Secs 35 & 36. S. 3. R. 1. W. +
 Having no permanent post to run to, proceeded
 North to run & clear the line North between Sec 35 & 36
 30.15 At Brook 8 1/2 m wide course N.E.
 40.00 Set 1/4 sec. post
 42.22 At Brook 10 1/2 m wide course S.E.
 79.50 Fell 42 the next of temporary post. moved it to the
 center cor. of Secs 25, 26, 35 & 36. where a forked
 Hickory 9 inches, beam 14 & 23 lbs & a Hickory
 18 inches, dia. beam 16 1/2 & 26 lbs. This 1/2 mile 2^d
 run land marked the trees by the plan

South Thence ran back South & moved the 1/4 sec post
 to the average measure, where a Blue Oak 14 inches,
 beam 9 1/2 & 19 lbs & a W. Oak 20 inches, beam 12 3/8
 5 lbs

East Thence East between Sec 25 & 36. & moved the 1/4
 Sec. post to the average distance, where a Buckeye
 18 inches, beam 12 & 11 lbs & a Buckeye 15 inches, beam
 13 & 23 lbs.

West Thence West between Secs 26 & 35 & moved the 1/4 Sec
 post to the average distance, where a Beech 15 inches,
 beam 15 & 12 1/2 lbs & a Beech 10 inches, dia. beam 13 & 3
 3 1/2 lbs. Thence from center post,

North On true line between Sec 25 & 26. S. 3. R. 1. W.
 13.20 At Brook 5 m wide, course East.
 27.75 At Brook 8 1/2 m wide course East
 47.50 Top of Hill
 62.04 Ohio River. set a post where an Elm 24 inches dia
 beam 15 3/4 & 20 lbs & an Elm 27 inches, beam 18 & 8
 27 lbs This line hilly 2^d rate land. Timber, Oak, Oak
 Beech, Sugar &c

T. 3. R. 1. W.

North Corrected the line North between Sec. 33 & 34 T. 3. R. 1. W.
 Set $\frac{1}{4}$ sec. Post. at average distance on true line,
 When a W Walnut 10 inches, beam N 47. E. 17 lks. & a
 Syc 20 inches, beam N 64 W 27 lks. Continued
 North 97 lks. East of Temporary post. &
 moved it to the center cor of Sec. 27. 28. 33. & 34
 when an Ash 14 inches, dia beam S. 45 W 29 lks. & a
 Blue ash 18 inches, dia beam N 48 E 31 lks.

East Thence East between Sec. 27. & 34. Set the $\frac{1}{4}$ sec. post at
 the average measure, when a Sugar 7 inches, beam N
 48 W 21 lks. & a Sugar 11 inches, dia beam S. 31. E 3 lks.
 Thence West between Sec. 28 & 33. & moved the $\frac{1}{4}$ sec post
 to the average distance, when a Hickory 12 inches,
 dia beam N 20 E 3 lks & a Sugar 3 inches, in dia.
 beam S. 30 E 5 lks.

North Thence North on true line between Sec. 27. & 28.
 Set the $\frac{1}{4}$ sec post, at average distance, when a
 Beech 24 inches, dia beam S. 81 E 6 $\frac{1}{2}$ lks. & a
 Sugar 14 inches, beam S 74 W 37 lks. Continued
 on true line to cor. of sec. 21. 22. 27. & 28.

North Run true line from cor of sec. 21. 22. 27. & 28.
 T. 3. R. 1. W. over a large ridge to the river
 33.07 Set a Post from which a Maple 10 inches, dia
 beam S 50 W 2 lks. & a Sycamore 12 inches, dia.
 beam East 8 lks. Marked by the plan &c
 July 16th 1825.

The Meanders of the Ohio River in Township
 No 3. Range N. 1. West of the Meridian
 Commenced when the River crosses the line
 between Sec. 30 T. 2. R. 1. E. & Sec. 45 T. 3. R. 1. W.
 Thence, up the River.

N. 63 W 2.76

N. 83° W	21.73	
N 89° 30' W	11.45	
S 89° W	20.00	
S. 87° W	5.12	
S. 89° 30' W	15.65	
N. 84° W	1.80	
S. 85° 30' W	4.60	
S. 84° 30' W	14.47	
S. 83° W	21.34	
S. 68° 30' W	7.41	A Honey bank, much hard & many for building large & beautiful
S. 76° 45' W	24.46	
S. 89° W	10.17	
S. 5° W	7.25	Top of cor. of Sec. 22 & 27. T. 3. R. 1. West June 1871/1879
N 86° W	2.97	
N 77° W	6.32	
N 84° W	10.22	
N 73° 30' W	21.42	
N 63° W	13.55	
N 49° 30' W	6.09	Mouth of Santa Cruz enters the river from S. 30° W.
N 62° W	1.57	Top of cor. on the opposite side. between Sec. 22 & 27. T. 3. R. 1. W of the Mer.
N 15° W	2.19	
N 45° 15' W	15.95	Abundance of Beautiful Limestone.
N 36° 30' W	16.15	
N 36° W	23.57	
N 18° W	31.92	
N 3° W	15.66	0.50 The mouth of Audra's creek 1500 ft wide enters the river S. 45° E, an improvement on the lower side.
N 14° 30' E	21.03	
N 25° E	34.00	
N 30° 30' E	13.41	
N 8° 30' E	2.12	Top of Lycopodium 15 inches diam. cor of Sec. 10 & 15. T. 3. R. 1. West of the Meridian
N 40° 30' E	2.75	
N 31° E	16.67	

S. 3. R. 1. W.

N 39 E	24.03	
N 43 E	9.96	
N 40 E	10.75	A number of springs rise low in the bank
N 46 E	5.33	
N 38 30' E	4.50	An improvement.
N 37 E	11.58	A Spring of excellent water
N 35 E	3.80	To a post between Sec. 10 & 11. S. 3. R. 1. W.
N 44 45' E	4.37	An improvement,
N 45 E	10.74	
N 30 15' E	14.73	See an improvement,
N 25 E	21.84	A large sand bar extends from the Kentucky shore.
N 34 E	2.47	
N 33 E	3.92	
N 35 30' E	9.92	6 th an improvement, & a number of springs low in the Banks
N 44 30' E	7.65	
N 37 E	3.90	
N 41 45' E	5.00	
N 49 E	12.56	A high gravel bank
N 41 E	4.04	
N 48 45' E	4.47	An improvement,
N 46 30' E	6.67	
N 30 E	1.87	
N 41 30' E	1.82	
N 39 E	7.21	
N 30 E	7.72	
N 17 30' W	1.07	To a post cor. of Sec. 1. T. 3. 1 cor. of sec. 36 S. 4. R. 1. West of the Meridian

Surveyed by Benjamin Chambers D. S.
A. 1799.

For certificate refer to page 98

T. 4 R. 1 W. 1 N.

N 49° 30' W 11.73

N 88° 30' W 29.53

N 32° W 10.68

N 36° 15' W 10.68

N 46° W 1.42 To a Port cor. of sec. 4. T. 4. R. 1 W. of sec. 33. T. 5.
Range 1. W. of the MeridianSurveyed by Benjamin Chambers C.S.
A.C. 1799.

I certify that the foregoing transcript of field notes of the survey of Townships N. 38 & 4, in Range N. 1 West of the 1st Principal Meridian, in the State of Indiana, has been compared with the original on file in this office and found to be correct.

Surveyor General's Office,
Cincinnati, Feb. 9th C. 1841

P. P. Peairs
Sur. Genl.